




O.E.G. srl - COSTRUZIONI SPECIALI **OFFICINA ELETTROMECCANICA GOTTIFREDI**



Azienda certificata
ISO 9001:2000
CERT.N° 9190.OEG1



Via Pavia, 25
20053 Muggiò (MI) - ITALY
phone: (+39) 0392781425
(+39) 0392781229
fax: (+39) 0392781541
e-mail: info@oegsrl.it
web: www.oegsrl.it



DC spring pressure safety brakes FM series



Handling
machine





Forklift




Lift



Wind
generator





handling
machine

lift

wind
generator

forklift

reliable

smooth

frequent

noiseless

safe

performance

robust

...in any way
you want to
brake we
can find a
solution for
your
application.

SIZE	02	03	04	05	06S	06	07	08	09
M_p [Nm]	5	10	20	40	70	100	150/200	300	500
$\varnothing FM7$	12/15	15/20	20/25	25/30	30	30/40	40/45	45/50	50
$\varnothing I$	78	88	100	120	140	150	170	206	238
$\varnothing E$	88,5	101	115	135	160	170	190	230	264
H	40	45	51	59	67	68	75	91,5	106,5
P [W]	16	20	30	40	50	65	65	100	120

For detailed quote and technical data please write to info@oegsrl.it
or visit www.oegsrl.it

Muggiò
ITALY

Full compatibility and
interchangeability with
AC MS/FM SERIES

O.E.G. is a family company founded in Italy in 1959.

We designed the first brake based on an original idea, then develop and grow in all these year a great knowledge in spring pressure safety brakes, that allows us to target your needs with different brake series.

We never stop

Improving

products

Improving

quality

Improving

process

Improving

methods

Improving

supplier cluster

Taking the challenge of every new customer's design request

Braking torque from 5 Nm to 500 Nm

All voltages from 12 V DC to 300 V DC available on request.

S1 Service, Class F insulation, Class B overtemperatures.

Asbestos-free noiseless friction packing.

Adjustable braking torque (100% to 35%).

No axial load on the driving shaft

Steel driving hub with antivibration 'O' ring. Stainless steel option available on request.

Steel brake disc. Stainless steel option available on request.

Stainless steel friction plate available on request.

Hand release available on request.

Dust protection kit available on request.

OEG DC Spring Pressure Safety brakes work when power off to assure the best brake solution for all applications, they can face the worst environmental conditions.

DC SPS brakes need electronic circuitry to run. OEG produces a complete choice of half and full wave rectifier.